## SEQUENCE LISTING

<110> WADA, Naoya

## 14720 Ros'd FOT/FTO 29 DEC 2005

	OKAMO TANIG DOI, KIKUO IMAI,	TO, AKI, Hiro	Taka Kei fumi Yasul	ji											
<120>	Meth	od f	or I	nhib	itin	g Te	lome	rase	Act	ivit	y and	d Inl	hibi	tor I	hereof
<130>	3190	-087													
<140> <141>	→ US U → 2005	nass -12-	_	d											
<150> <151>	→ JP P → 2004			902											
<150> <151>	PCT/			0823	9										
<160>	13														
<170>	Pate	ntIn	ver	sion	3.1										
<210><211><211><212><213>	1149 DNA		iens												
	CDS (1).	. (11	49)												
	misc Apo			tide	enco	odin	g MAI	PKAPI	K3 (S	SEQ :	ID NO	D:2)			
	· 1 gat ggt sp Gly														48
:	ca ccc la Pro			_		_				_				_	96
	cc aag ro Lys 35														144
Val L	tg ggc eu Gly														192
-	ct gga hr Gly	_	_	_	-	_	-		_		_	_		_	240
gcc c	gg cag	gag	gta	gac	cat	cac	tgg	cag	gct	tct	ggc	ggc	ccc	cat	288

Ala	Arg	Gln	Glu	Val 85	Asp	His	His	Trp	Gln 90	Ala	Ser	Gly	Gly	Pro 95	His	
				Leu					Asn				ggc Gly 110			336
			Ile					Met					ttg Leu			384
							Gln					Arg	gaa Glu			432
	Ile	_		-		Gly		-		_	Phe	-	cac His	_		480
					Asp					Asn			tac Tyr			528
				Āla					Thr				ttt Phe 190			576
			Gln		-	_	_	Thr		_			ccc Pro			624
	_			_	_				-		-	Lys	tca Ser	_	-	672
_	Trp		_		-		_				Leu	-	ggc Gly			720
										Ser			atg Met			768
		_	_	Gly	-				Pro				tgg Trp 270		_	816
			Asp										aag Lys			864
Pro	Thr 290	Ğlü	Arg	Leu	Thr	Ile 295	Thr	Gln	Phe	Met	Asn 300	His	ccc Pro	Trp	Ile	912
											His		gcc Ala	Arg		960
										Val			gag Glu			1008

_	-	_	-		atg Met		_	_		-	_		-		_	1056
_	_				aac Asn								_		-	1104
_	_		_		tct Ser	_							_	tag		1149
<210 <211 <212 <213	l> 3 2> I	2 382 PRT Homo	sapi	iens												
< 400	)> 2	2														
Met 1	Asp	Gly	Glu	Thr 5	Ala	Glu	Glu	Gln	Gly 10	Gly	Pro	Val	Pro	Pro 15	Pro	
Val	Ala	Pro	Gly 20	Gly	Pro	Gly	Leu	Gly 25	Gly	Ala	Pro	Gly	Gly 30	Arg	Arg	
Glu	Pro	Lys 35	Lys	Tyr	Ala	Val	Thr 40	Asp	Asp	Tyr	Gln	Leu 45	Ser	Lys	Gln	
Val	Leu 50	Gly	Leu	Gly	Val	Asn 55	Gly	Lys	Val	Leu	Glu 60	Cys	Phe	His	Arg	
Arg 65	Thr	Gly	Gln	Lys	Cys 70	Ala	Leu	Lys	Leu	Leu 75	Tyr	Asp	Ser	Pro	Lys 80	
Ala	Arg	Gln	Glu	Val 85	Asp	His	His	Trp	Gln 90	Ala	Ser	Gly	Gly	Pro 95	His	
Ile	Val	Cys	Ile 100	Leu	Asp	Val	Tyr	Glu 105	Asn	Met	His	His	Gly 110	Lys	Arg	
Cys	Leu	Leu 115	Ile	Ile	Met	Glu	Cys 120	Met	Glu	Gly	Gly	Glu 125	Leu	Phe	Ser	
Arg	Ile 130	Gln	Glu	Arg	Gly	Asp 135	Gln	Ala	Phe	Thr	Glu 140	Arg	Glu	Ala	Ala	
Glu 145	Ile	Met	Arg	Asp	Ile 150	Gly	Thr	Ala	Ile	Gln 155	Phe	Leu	His	Ser	His 160	
Asn	Ile	Ala	His	Arg 165	Asp	Val	Lys	Pro	Glu 170	Asn	Leu	Leu	Tyr	Thr 175	Ser	

Lys Glu Lys Asp Ala Val Leu Lys Leu Thr Asp Phe Gly Phe Ala Lys 180 185 190

Glu Thr Thr Gln Asn Ala Leu Gln Thr Pro Cys Tyr Thr Pro Tyr Tyr 195 200 205

Val Ala Pro Glu Val Leu Gly Pro Glu Lys Tyr Asp Lys Ser Cys Asp 210 215 220

Met Trp Ser Leu Gly Val Ile Met Tyr Ile Leu Leu Cys Gly Phe Pro 225 230 235 240

Pro Phe Tyr Ser Asn Thr Gly Gln Ala Ile Ser Pro Gly Met Lys Arg \$245\$ \$250\$ \$255\$

Arg Ile Arg Leu Gly Gln Tyr Gly Phe Pro Asn Pro Glu Trp Ser Glu 260 265 270

Val Ser Glu Asp Ala Lys Gln Leu Ile Arg Leu Leu Leu Lys Thr Asp 275 280 285

Pro Thr Glu Arg Leu Thr Ile Thr Gln Phe Met Asn His Pro Trp Ile 290 295 300

Asn Gln Ser Met Val Val Pro Gln Thr Pro Leu His Thr Ala Arg Val 305 310 315 320

Leu Gl<br/>n Glu Asp Lys Asp His Tr<br/>p Asp Glu Val Lys Glu Glu Met Thr $325 \hspace{1.5cm} 330 \hspace{1.5cm} 335 \hspace{1.5cm}$ 

Ser Ala Leu Ala Thr Met Arg Val Asp Tyr Asp Gln Val Lys Ile Lys 340 345 350

Asp Leu Lys Thr Ser Asn Asn Arg Leu Leu Asn Lys Arg Arg Lys Lys 355  $\phantom{0}360$   $\phantom{0}365$ 

Gln Ala Gly Ser Ser Ser Ala Ser Gln Gly Cys Asn Asn Gln 370 375 380

<210> 3

<211> 3399

<212> DNA

<213> Homo sapiens

<220>

<221> CDS

<222> (1)..(3399)

<220>

<221> misc\_feature
<223> A polynucleotide encoding TERT (SEQ ID NO:4)

<400> 3								
atg ccg cgc gc Met Pro Arg Al 1	_			-		_	-	
cac tac cgc ga His Tyr Arg Gl 20	u Val Leu							
ccc cag ggc tg Pro Gln Gly Tr 35							_	
gcg ctg gtg gc Ala Leu Val Al 50					_		-	
ccc ccc gcc gc Pro Pro Ala Al 65		_		_		Glu L	-	
gtg gcc cga gt Val Ala Arg Va								
ctg gcc ttc gg Leu Ala Phe Gl 10	y Phe Ala							
gag gcc ttc ac Glu Ala Phe Th 115	_		_	_	_			
gac gca ctg cg Asp Ala Leu Ar 130								
ggc gac gac gt Gly Asp Asp Va 145						Phe V		
ctg gtg gct cc Leu Val Ala Pr		Ala Tyr	Gln Val	Cys Gly	Pro Pro	Leu T		
cag ctc ggc gc Gln Leu Gly Al 18	a Ala Thr							
ccc cga agg cg Pro Arg Arg Ar 195								
gag gcc ggg gt Glu Ala Gly Va 210					Ala Arg			
ggg ggc agt gc	c agc cga	agt ctg	ccg ttg	ccc aag	agg ccc	agg c	gt 720	

Gly 225	Gly	Ser	Ala	Ser	Arg 230	Ser	Leu	Pro	Leu	Pro 235	Lys	Arg	Pro	Arg	Arg 240	
	_	_			_	gag Glu		_		-		_				768
_		_			-	cgt Arg		_	-	-	-			_		816
			_	_		gcc Ala	_	-	-			_				864
			_	-		tcc Ser 295						-	-			912
						tcg Ser				_			_	_		960
_		_			_	gag Glu		_								1008
						ccc Pro										1056
_	_			_		agg Arg							_			1104
			-			act Thr 375		-		_		_	-		cag Gln	1152
						ccc Pro										1200
	_	_				gtg Val			-	_		-	_	_	-	1248
_		-			_	gcc Ala		_	_	-			-		_	1296
						gag Glu										1344
						cac His 455										1392
		-	-	_	-	cgg Arg	-									1440

•

					cgc Arg											1488
_		_		-	aag Lys		-	_	-		_	_		_	_	1536
					gct Ala											1584
_	_	-	_		cac His	_	_	_				_	-	_		1632
					agt Ser 550											1680
		_	_		acc Thr	-			-							1728
					agc Ser											1776
_	_			_	ctg Leu			-	_	-	-		-		_	1824
		-	_		ccc Pro	-	_	_	_		_		-			1872
	_		-		ctg Leu 630		_				_	_		_		1920
					cgc Arg											1968
					ttc Phe											2016
			-		gcc Ala			_		_	_	_				2064
					gtg Val											2112
	_			-	aag Lys 710		_		_				-			2160
	_	_			acg Thr		_		-	_					_	2208

•

	_		_		_			-		_	cag Gln	_	_	_		2256
		-	_	_	-		-	-		-	tct Ser		-		_	2304
											ctg Leu 780					2352
_	_		-	-	-	_			_	_	tcc Ser		_			2400
											ttc Phe					2448
_		_				-			-	_	tgc Cys	_			_	2496
_						_	-		-	-	ctg Leu	_			_	2544
_			_	_							gac Asp 860		_		_	2592
_	-		-	_		_	_				cac His					2640
						_	-	-		-	cct Pro				-	2688
			_		_						cct Pro	_	-	_		2736
											gcc Ala					2784
											ctg Leu 940					2832
											gcc Ala					2880
	-			_					_	_	cgc Arg					2928
											gat Asp					2976

980 985 990

Ser Leu G					Lys Ile 1	ctc ctg Leu Leu 1005	
		_				ttt cat Phe His	-
_	33	aac ccc Asn Pro	aca ttt Thr Phe 1030	_	cgc gtc Arg Val 1035	Ile Ser	_
		tgc tac Cys Tyr		-		aac gca Asn Ala )	
	, ,,,				_	ccc tcc Pro Ser	
			cac caa His Glr 1075	_	_	-	
_			gtg cca Val Pro 1090	_			
gcc cag Ala Gln 1100		ctg agt Leu Ser		_	ggg acg Gly Thr 1110		
_		gca gcc Ala Ala	_		ccc tca Pro Ser 1125	-	_
	ctg gac Leu Asp	tga					339
<212> PR	.32 RT Dmo sapie	ens					

<400> 4

Met Pro Arg Ala Pro Arg Cys Arg Ala Val Arg Ser Leu Leu Arg Ser 1 5 5 10 15

His Tyr Arg Glu Val Leu Pro Leu Ala Thr Phe Val Arg Arg Leu Gly 20 25 30

Pro Gln Gly Trp Arg Leu Val Gln Arg Gly Asp Pro Ala Ala Phe Arg 35 40 45

Ala Leu Val Ala Gln Cys Leu Val Cys Val Pro Trp Asp Ala Arg Pro

Pro Pro Ala Ala Pro Ser Phe Arg Gln Val Ser Cys Leu Lys Glu Leu 70

- Val Ala Arg Val Leu Gln Arg Leu Cys Glu Arg Gly Ala Lys Asn Val 90
- Leu Ala Phe Gly Phe Ala Leu Leu Asp Gly Ala Arg Gly Gly Pro Pro
- Glu Ala Phe Thr Thr Ser Val Arg Ser Tyr Leu Pro Asn Thr Val Thr 120
- Asp Ala Leu Arg Gly Ser Gly Ala Trp Gly Leu Leu Arg Arg Val 135
- Gly Asp Asp Val Leu Val His Leu Leu Ala Arg Cys Ala Leu Phe Val 145 150 155
- Leu Val Ala Pro Ser Cys Ala Tyr Gln Val Cys Gly Pro Pro Leu Tyr
- Gln Leu Gly Ala Ala Thr Gln Ala Arg Pro Pro Pro His Ala Ser Gly 180 185
- Pro Arg Arg Leu Gly Cys Glu Arg Ala Trp Asn His Ser Val Arg 195 200
- Glu Ala Gly Val Pro Leu Gly Leu Pro Ala Pro Gly Ala Arg Arg Arg
- Gly Gly Ser Ala Ser Arg Ser Leu Pro Leu Pro Lys Arg Pro Arg Arg
- Gly Ala Ala Pro Glu Pro Glu Arg Thr Pro Val Gly Gln Gly Ser Trp 250 245
- Ala His Pro Gly Arg Thr Arg Gly Pro Ser Asp Arg Gly Phe Cys Val 265 260
- Val Ser Pro Ala Arg Pro Ala Glu Glu Ala Thr Ser Leu Glu Gly Ala 280
- Leu Ser Gly Thr Arg His Ser His Pro Ser Val Gly Arg Gln His His

Ala 305	Gly	Pro	Pro	Ser	Thr 310	Ser	Arg	Pro	Pro	Arg 315	Pro	Trp	Asp	Thr	Pro 320
Cys	Pro	Pro	Val	Tyr 325	Ala	Glu	Thr	Lys	His 330	Phe	Leu	Tyr	Ser	Ser 335	Gly
Asp	Lys	Glu	Gln 340	Leu	Arg	Pro	Ser	Phe 345	Leu	Leu	Ser	Ser	Leu 350	Arg	Pro
Ser	Leu	Thr 355	Gly	Ala	Arg	Arg	Leu 360	Val	Glu	Thr	Ile	Phe 365	Leu	Gly	Ser
Arg	Pro 370	Trp	Met	Pro	Gly	Thr 375	Pro	Arg	Arg	Leu	Pro 380	Arg	Leu	Pro	Gln
Arg 385	Tyr	Trp	Gln	Met	Arg 390	Pro	Leu	Phe	Leu	Glu 395	Leu	Leu	Gly	Asn	His 400
Ala	Gln	Cys	Pro	Tyr 405	Gly	Val	Leu	Leu	Lys 410	Thr	His	Cys	Pro	Leu 415	Arg
Ala	Ala	Val	Thr 420	Pro	Ala	Ala	Gly	Val 425	Cys	Ala	Arg	Glu	Lys 430	Pro	Gln
Gly	Ser	Val 435	Ala	Ala	Pro	Glu	Glu 440	Glu	Asp	Thr	Asp	Pro 445	Arg	Arg	Leu
Val	Gln 450	Leu	Leu	Arg	Gln	His 455	Ser	Ser	Pro	Trp	Gln 460	Val	Tyr	Gly	Phe
Val 465	Arg	Ala	Cys	Leu	Arg 470	Arg	Leu	Val	Pro	Pro 475	Gly	Leu	Trp	Gly	Ser 480
Arg	His	Asn	Glu	Arg 485	Arg	Phe	Leu	Arg	Asn 490	Thr	Lys	Lys	Phe	Ile 495	Ser
Leu	Gly	Lys	His 500	Ala	Lys	Leu	Ser	Leu 505	Gln	Glu	Leu	Thr	Trp 510	Lys	Met
Ser	Val	Arg 515	Asp	Cys	Ala	Trp	Leu 520	Arg	Arg	Ser	Pro	Gly 525	Val	Gly	Cys
Val	Pro 530	Ala	Ala	Glu	His	Arg 535	Leu	Arg	Glu	Glu	Ile 540	Leu	Ala	Lys	Phe
Leu 545	His	Trp	Leu	Met	Ser 550	Val	Tyr	Val	Val	Glu 555	Leu	Leu	Arg	Ser	Phe 560

Phe Tyr Val Thr Glu Thr Thr Phe Gln Lys Asn Arg Leu Phe Phe Tyr 565 570 Arg Lys Ser Val Trp Ser Lys Leu Gln Ser Ile Gly Ile Arg Gln His 585 Leu Lys Arg Val Gln Leu Arg Glu Leu Ser Glu Ala Glu Val Arg Gln 600 His Arg Glu Ala Arg Pro Ala Leu Leu Thr Ser Arg Leu Arg Phe Ile 615 Pro Lys Pro Asp Gly Leu Arg Pro Ile Val Asn Met Asp Tyr Val Val Gly Ala Arg Thr Phe Arg Arg Glu Lys Arg Ala Glu Arg Leu Thr Ser 645 650 Arg Val Lys Ala Leu Phe Ser Val Leu Asn Tyr Glu Arg Ala Arg Arg 660 Pro Gly Leu Leu Gly Ala Ser Val Leu Gly Leu Asp Asp Ile His Arg Ala Trp Arg Thr Phe Val Leu Arg Val Arg Ala Gln Asp Pro Pro Pro 690 695 Glu Leu Tyr Phe Val Lys Val Asp Val Thr Gly Ala Tyr Asp Thr Ile Pro Gln Asp Arg Leu Thr Glu Val Ile Ala Ser Ile Ile Lys Pro Gln 730 Asn Thr Tyr Cys Val Arg Arg Tyr Ala Val Val Gln Lys Ala Ala His

Gly His Val Arg Lys Ala Phe Lys Ser His Val Ser Thr Leu Thr Asp

Leu Gln Pro Tyr Met Arg Gln Phe Val Ala His Leu Gln Glu Thr Ser

Pro Leu Arg Asp Ala Val Val Ile Glu Gln Ser Ser Ser Leu Asn Glu

Ala Ser Ser Gly Leu Phe Asp Val Phe Leu Arg Phe Met Cys His His 810

Ala Val Arg Ile Arg Gly Lys Ser Tyr Val Gln Cys Gln Gly Ile Pro 820 825 830

Gln Gly Ser Ile Leu Ser Thr Leu Leu Cys Ser Leu Cys Tyr Gly Asp 835 840 845

Met Glu Asn Lys Leu Phe Ala Gly Ile Arg Arg Asp Gly Leu Leu Leu 850 855 860

Arg Leu Val Asp Asp Phe Leu Leu Val Thr Pro His Leu Thr His Ala 865 870 875 880

Lys Thr Phe Leu Arg Thr Leu Val Arg Gly Val Pro Glu Tyr Gly Cys 885 890 895

Val Val Asn Leu Arg Lys Thr Val Val Asn Phe Pro Val Glu Asp Glu 900 905 910

Ala Leu Gly Gly Thr Ala Phe Val Gln Met Pro Ala His Gly Leu Phe 915 920 925

Pro Trp Cys Gly Leu Leu Leu Asp Thr Arg Thr Leu Glu Val Gln Ser 930 940

Asp Tyr Ser Ser Tyr Ala Arg Thr Ser Ile Arg Ala Ser Leu Thr Phe 945 950 955 960

Asn Arg Gly Phe Lys Ala Gly Arg Asn Met Arg Arg Lys Leu Phe Gly 965 970 975

Val Leu Arg Leu Lys Cys His Ser Leu Phe Leu Asp Leu Gln Val Asn 980 985 990

Ser Leu Gln Thr Val Cys Thr Asn  $\,$  Ile Tyr Lys Ile Leu Leu Gln  $\,$  995  $\,$  1000  $\,$  1005

Ala Tyr Arg Phe His Ala Cys Val Leu Gln Leu Pro Phe His Gln 1010 1015 1020

Thr Ala Ser Leu Cys Tyr Ser Ile Leu Lys Ala Lys Asn Ala Gly 1040 1045 1050

Met Ser Leu Gly Ala Lys Gly Ala Ala Gly Pro Leu Pro Ser Glu

1055 1060 1065

Ala Val Gln Trp Leu Cys His Gln Ala Phe Leu Leu Lys Leu Thr 1070 1075 1080

Arg His Arg Val Thr Tyr Val Pro Leu Leu Gly Ser Leu Arg Thr 1085 1090 1095

Ala Gln Thr Gln Leu Ser Arg Lys Leu Pro Gly Thr Thr Leu Thr 1100 1105 1110

Ala Leu Glu Ala Ala Asn Pro Ala Leu Pro Ser Asp Phe Lys 1115 1120 1125

Thr Ile Leu Asp 1130

<210> 5 <211> 1149

<212> DNA

<213> Artificial

<220>

<223> A polynucleotide encoding an inactive variant of MAPKAPK3 (SEQ ID NO:2) which amino acid residues at positions 201 and 313 are bot h replaced to alanine from threonine

<400> 5 atggatggtg aaacagcaga ggagcagggg ggccctgtgc ccccgccagt tgcacccggc 60 ggacccggct tgggcggtgc tccggggggg cggcgggagc ccaagaagta cgcagtgacc 120 gacgactacc agttgtccaa gcaggtgctg ggcctgggtg tgaacggcaa agtgctggag 180 tgcttccatc ggcgcactgg acagaagtgt gccctgaagc tcctgtatga cagccccaag 240 gcccqqcaqq aggtagacca tcactggcag gcttctggcg gcccccatat tgtctgcatc 300 ctggatgtgt atgagaacat gcaccatggc aagcgctgtc tcctcatcat catggaatgc 360 420 atggaaggtg gtgagttgtt cagcaggatt caggagcgtg gcgaccaggc tttcactgag agagaagctg cagagataat gcgggatatt ggcactgcca tccagtttct gcacagccat 480 aacattgccc accgagatgt caagcctgaa aacctactct acacatctaa ggagaaagac 540 gcagtgctta agctcaccga ttttggcttt gctaaggaga ccacccaaaa tgccctgcag 600 qcccctqct atactcccta ttatgtgqcc cctgaggtcc tgggtccaga gaagtatgac 660 aagtcatgtg acatgtggtc cctgggtgtc atcatgtaca tcctcctttg tggcttccca 720 cccttctact ccaacacggg ccaggccatc tccccgggga tgaagaggag gattcgcctg 780 ggccagtacg gcttccccaa tcctgagtgg tcagaagtct ctgaggatgc caagcagctg 840 900 atccgcctcc tgttgaagac agaccccaca gagaggctga ccatcactca gttcatgaac

cacccctqqa tcaaccaatc gatggtagtg ccacaggccc cactccacac ggcccgagtg ctgcaggagg acaaagacca ctgggacgaa gtcaaggagg agatgaccag tgccttggcc 1020 actatqcqqq taqactacqa ccaqqtqaaq atcaaqqacc tgaaqacctc taacaaccqq 1080 ctcctcaaca agaggagaaa aaagcaggca ggcagctcct ctgcctcaca gggctgcaac 1140 1149 aaccagtag <210> 6 <211> 382 <212> PRT <213> Artificial <220> <223> An inactive variant of MAPKAPK3 (SEQ ID NO:2) which amino acid re sidues at positions 201 and 313 are both replaced to alanine from threonine <400> 6 Met Asp Gly Glu Thr Ala Glu Glu Gly Gly Pro Val Pro Pro Pro Val Ala Pro Gly Gly Pro Gly Leu Gly Gly Ala Pro Gly Gly Arg Arg 25 Glu Pro Lys Lys Tyr Ala Val Thr Asp Asp Tyr Gln Leu Ser Lys Gln 40 Val Leu Gly Leu Gly Val Asn Gly Lys Val Leu Glu Cys Phe His Arg Arg Thr Gly Gln Lys Cys Ala Leu Lys Leu Leu Tyr Asp Ser Pro Lys 70 Ala Arq Gln Glu Val Asp His His Trp Gln Ala Ser Gly Gly Pro His 95 85 90 Ile Val Cys Ile Leu Asp Val Tyr Glu Asn Met His His Gly Lys Arg 100 Cys Leu Leu Ile Ile Met Glu Cys Met Glu Gly Gly Glu Leu Phe Ser 115 Arg Ile Gln Glu Arg Gly Asp Gln Ala Phe Thr Glu Arg Glu Ala Ala 130 135 140 Glu Ile Met Arg Asp Ile Gly Thr Ala Ile Gln Phe Leu His Ser His

145

960

Asn Ile Ala His Arg Asp Val Lys Pro Glu Asn Leu Leu Tyr Thr Ser 170

Lys Glu Lys Asp Ala Val Leu Lys Leu Thr Asp Phe Gly Phe Ala Lys 185

Glu Thr Thr Gln Asn Ala Leu Gln Ala Pro Cys Tyr Thr Pro Tyr Tyr 200

Val Ala Pro Glu Val Leu Gly Pro Glu Lys Tyr Asp Lys Ser Cys Asp 215 220

Met Trp Ser Leu Gly Val Ile Met Tyr Ile Leu Leu Cys Gly Phe Pro

Pro Phe Tyr Ser Asn Thr Gly Gln Ala Ile Ser Pro Gly Met Lys Arg

Arg Ile Arg Leu Gly Gln Tyr Gly Phe Pro Asn Pro Glu Trp Ser Glu 260 265 270

Val Ser Glu Asp Ala Lys Gln Leu Ile Arg Leu Leu Lys Thr Asp 275 280

Pro Thr Glu Arg Leu Thr Ile Thr Gln Phe Met Asn His Pro Trp Ile 290

Asn Gln Ser Met Val Val Pro Gln Ala Pro Leu His Thr Ala Arg Val 310 315

Leu Gln Glu Asp Lys Asp His Trp Asp Glu Val Lys Glu Glu Met Thr 330

Ser Ala Leu Ala Thr Met Arg Val Asp Tyr Asp Gln Val Lys Ile Lys 340 345

Asp Leu Lys Thr Ser Asn Asn Arg Leu Leu Asn Lys Arg Arg Lys Lys 355

Gln Ala Gly Ser Ser Ser Ala Ser Gln Gly Cys Asn Asn Gln 375

<210> 7 <211> 1149 <212> DNA

<213> Artificial

<220>

<223> A polynucleotide encoding an active variant of MAPKAPK3 (SEQ ID N 0:2) which amino acid residues at positions 201 and 313 are both replaced to glutamic acid from threonine

<400> 7						
	aaacagcaga	ggagcagggg	ggccctgtgc	ccccgccagt	tgcacccggc	60
ggacccggct	tgggcggtgc	tccggggggg	cggcgggagc	ccaagaagta	cgcagtgacc	120
gacgactacc	agttgtccaa	gcaggtgctg	ggcctgggtg	tgaacggcaa	agtgctggag	180
tgcttccatc	ggcgcactgg	acagaagtgt	gccctgaagc	tcctgtatga	cagccccaag	240
gcccggcagg	aggtagacca	tcactggcag	gcttctggcg	gcccccatat	tgtctgcatc	300
ctggatgtgt	atgagaacat	gcaccatggc	aagcgctgtc	tcctcatcat	catggaatgc	360
atggaaggtg	gtgagttgtt	cagcaggatt	caggagcgtg	gcgaccaggc	tttcactgag	420
agagaagctg	cagagataat	gcgggatatt	ggcactgcca	tccagtttct	gcacagccat	480
aacattgccc	accgagatgt	caagcctgaa	aacctactct	acacatctaa	ggagaaagac	540
gcagtgctta	agctcaccga	ttttggcttt	gctaaggaga	ccacccaaaa	tgccctgcag	600
gagccctgct	atactcccta	ttatgtggcc	cctgaggtcc	tgggtccaga	gaagtatgac	660
aagtcatgtg	acatgtggtc	cctgggtgtc	atcatgtaca	tcctcctttg	tggcttccca	720
cccttctact	ccaacacggg	ccaggccatc	tccccgggga	tgaagaggag	gattcgcctg	780
ggccagtacg	gcttccccaa	tcctgagtgg	tcagaagtct	ctgaggatgc	caagcagctg	840
atccgcctcc	tgttgaagac	agaccccaca	gagaggctga	ccatcactca	gttcatgaac	900
cacccctgga	tcaaccaatc	gatggtagtg	ccacaggagc	cactccacac	ggcccgagtg	960
ctgcaggagg	acaaagacca	ctgggacgaa	gtcaaggagg	agatgaccag	tgccttggcc	1020
actatgcggg	tagactacga	ccaggtgaag	atcaaggacc	tgaagacctc	taacaaccgg	1080
ctcctcaaca	agaggagaaa	aaagcaggca	ggcagctcct	ctgcctcaca	gggctgcaac	1140
aaccagtag						1149

<sup>&</sup>lt;210> 8 <211> 382

<220>

<223> An active variant of MAPKAPK3 (SEQ ID NO:2) which amino acid residues at positions 201 and 313 are both replaced to glutamic acid from threonine

<400> 8

Met Asp Gly Glu Thr Ala Glu Glu Glu Gly Gly Pro Val Pro Pro 1 5 10 15

Val Ala Pro Gly Gly Pro Gly Leu Gly Gly Ala Pro Gly Gly Arg Arg

<sup>&</sup>lt;212> PRT

<sup>&</sup>lt;213> Artificial

Glu Pro Lys Lys Tyr Ala Val Thr Asp Asp Tyr Gln Leu Ser Lys Gln 35 40 45

Val Leu Gly Leu Gly Val Asn Gly Lys Val Leu Glu Cys Phe His Arg 50 60

Arg Thr Gly Gln Lys Cys Ala Leu Lys Leu Leu Tyr Asp Ser Pro Lys 65 70 75 80

Ala Arg Gln Glu Val Asp His His Trp Gln Ala Ser Gly Gly Pro His 85 90 95

Ile Val Cys Ile Leu Asp Val Tyr Glu Asn Met His His Gly Lys Arg  $100 \hspace{1.5cm} 105 \hspace{1.5cm} 110$ 

Cys Leu Leu Ile Ile Met Glu Cys Met Glu Gly Gly Glu Leu Phe Ser 115 120 125

Glu Ile Met Arg Asp Ile Gly Thr Ala Ile Gln Phe Leu His Ser His 145 150 155 160

Asn Ile Ala His Arg Asp Val Lys Pro Glu Asn Leu Leu Tyr Thr Ser 165 170 175

Lys Glu Lys Asp Ala Val Leu Lys Leu Thr Asp Phe Gly Phe Ala Lys 180 185 190

Glu Thr Thr Gln Asn Ala Leu Gln Glu Pro Cys Tyr Thr Pro Tyr Tyr 195 200 205

Val Ala Pro Glu Val Leu Gly Pro Glu Lys Tyr Asp Lys Ser Cys Asp 210 215 220

Met Trp Ser Leu Gly Val Ile Met Tyr Ile Leu Leu Cys Gly Phe Pro 225 230 235 240

Pro Phe Tyr Ser Asn Thr Gly Gln Ala Ile Ser Pro Gly Met Lys Arg 245 250 255

Arg Ile Arg Leu Gly Gln Tyr Gly Phe Pro Asn Pro Glu Trp Ser Glu 260 265 270

```
275
                           280
Pro Thr Glu Arg Leu Thr Ile Thr Gln Phe Met Asn His Pro Trp Ile
                       295
Asn Gln Ser Met Val Val Pro Gln Glu Pro Leu His Thr Ala Arg Val
                                        315
Leu Gln Glu Asp Lys Asp His Trp Asp Glu Val Lys Glu Glu Met Thr
               325
                                   330
Ser Ala Leu Ala Thr Met Arg Val Asp Tyr Asp Gln Val Lys Ile Lys
                                345
Asp Leu Lys Thr Ser Asn Asn Arg Leu Leu Asn Lys Arg Arg Lys Lys
Gln Ala Gly Ser Ser Ser Ala Ser Gln Gly Cys Asn Asn Gln
                        375
    370
<210> 9
<211> 6
<212> PRT
<213> Artificial
<220>
<223> Partial sequence of TERT (SEQ ID NO:4) , which is highly homologo
      us to that of MAPKAPK3 (SEQ ID NO:2)
<400> 9
Pro Pro Pro Ala Ala Pro
<210> 10
<211>
      6
<212> PRT
<213> Artificial
<220>
<223> Partial sequence of MAPKAPK3 (SEQ ID NO:2) , which is highly hom
      ologous to that of TERT (SEQ ID NO:4)
<400> 10
Pro Pro Pro Val Ala Pro
<210> 11
<211> 6
<212> PRT
<213> Artificial
```

Val Ser Glu Asp Ala Lys Gln Leu Ile Arg Leu Leu Lys Thr Asp

```
<220>
<223> Partial sequence of TERT (SEQ ID NO:4) , which is highly homologo
       us to that of MAPKAPK3 (SEQ ID NO:2)
<400> 11
Ala Pro Gly Ala Arg Arg
<210> 12
<211> 6
<212> PRT
<213> Artificial
<220>
<223> Partial sequence of MAPKAPK3 (SEQ ID NO:2) , which is highly hom
       ologous to that of TERT (SEQ ID NO:4)
<400> 12
Ala Pro Gly Gly Arg Arg
<210> 13
<211> 5
<212> PRT
<213> Artificial
<220>
<223> Partial sequence identical in the sequences of TERT (SEQ ID NO:4)
        and MAPKAPK3 (SEQ ID NO:2)
<400> 13
Ala Arg Val Leu Gln
```